

Account #

P.O. #

PATIENT INFORMATION

Name

Shoe Size\*   Male  Female

Date of Birth  Weight

Shoes / Insoles Enclosed

Previous Rx#  Date

**Revere Shoe Data**

Style

Size

**EVA Mold Data**

- EVA  Soft  
 Medium  
 Firm

Heel Cup  
12mm

Width  
Sized to  
Sandal

Rearfoot  
0 Degree  
Post

**Accomodative Padding**

**U-SHAPED PAD**

Left  
 Right  
 Both

**HEEL PAD**

Left  
 Right  
 Both  
 Firm  
 Medial Cut Out

**HEEL SPUR HOLE**

Left  
 Right  
 Both

**MET PAD**

Left  
 Right  
 Both  
 Distal Placement

**MET BAR PAD**

Left  
 Right  
 Both

**DANCER'S PAD**

Left  
 Right  
 Both

**MORTON'S EXTENSION**

Left  
 Right  
 Both  
 Extend Under Digit  
 Reverse


**NEUROMA PAD**

Left Interspace \_\_\_\_\_  
 Right Interspace \_\_\_\_\_

**SCAPHOID PAD**

Left  
 Right  
 Both  
 Cut Out Navicular  
Mark in Cast

**Dispersions**



- |                          |            |                          |
|--------------------------|------------|--------------------------|
| <b>R</b>                 | <b>MPJ</b> | <b>L</b>                 |
| <input type="checkbox"/> | <b>1</b>   | <input type="checkbox"/> |
| <input type="checkbox"/> | <b>2</b>   | <input type="checkbox"/> |
| <input type="checkbox"/> | <b>3</b>   | <input type="checkbox"/> |
| <input type="checkbox"/> | <b>4</b>   | <input type="checkbox"/> |
| <input type="checkbox"/> | <b>5</b>   | <input type="checkbox"/> |
- DISPERSION TYPE**
- U Cut Out (lab std.)  Channel  
 Negative Cut Out

**Comments**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Top Cover**

- Black 2mm EVA (STD)  
 Tan 2mm EVA  
 Black 2mm Spenco  
 Black Vinyl